



手部防护

VENICUT5X1

长时间正常切割作业

D级防割手套，采用透气涂层和极柔软的材质，适用于高强度且需要细致操作的工作场景



应用行业

- 公共工程
- 建筑业
- 终饰工程/工艺
- 维修业
- 汽车业
- 采矿

标准和认证



EN 388
4 X 4 3 D



A5 4 3

防范风险



切割



磨损



enjoy safety.

编辑 03/08/2026
www.deltaplus.com.cn



手部防护

VENICUT5X1

长时间正常切割作业

D级防割手套，采用透气涂层和极柔软的材质，适用于高强度且需要细致操作的工作场景

详细信息 - 标准



EN388:2016+A1:2018

4 [0-4] 耐磨

X [0-5] 防切割

4 [0-4] TEAR RESISTANCE

3 [0-4] PIERCE RESISTANCE

D [A-F] CUT RESISTANCE ISO 13997

技术细节

手套类别	特殊手套
手套类别	针织涂层手套
机械手套类	针织
特殊手套类型	针织带皮革掌面
纬纱	DELTAnocut+
涂层水平	掌面涂层
涂层材质	PU
涂层饰面	光滑涂层
涂层数	单涂层
针数	13
颜色	灰色
尺码	9, 10, 11
包装类型	独立包装

包装

销售单位: 独立包装

60 成对/箱



Safety gloves

VENICUT5X1

LONG-LASTING CUT WORK

Level D cut-resistant glove with breathable coating and very soft material for intensive and careful use

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT5X1GR09	Grey	09	VENICUT5X1	0	13295249213203	60	12	8.3 kg	32.4 cm	33.4 cm	48.2 cm
VECUT5X1GR10	Grey	10	VENICUT5X1	0	0	60	12	8.8 kg	34.0 cm	33.2 cm	48.2 cm
VECUT5X1GR11	Grey	11	VENICUT5X1	3295249213237	13295249213234	60	12	9.1 kg	33.0 cm	32.6 cm	49.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height