



Head protection

GG-40WS2-AF

SAFETY GLASSES

Ultimately the best fitting Goggle-like spectacle , extra protective eyewear with a very good sealing in dusty environments and air circulation for superior anti-fog performance



Specific benefits



Comfort

- Ample indirect venting on the top and bottom of the lens to reduce moisture infiltration and fogging
- Increased comfort and optimal sealing
- Wide frame bringing a better fit for wider facial profile



Performance

- Design incorporates brow protection and both side shields and vents.
- Spherical visor for an extra large field of vision



Durability

- Anti-scratch coating increasing lifespan

Certifications and norms



EN166
1 FT / FT

Z87+

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Light Industry
- Maintenance
- Automotive

Risk Protection



Shock



UV / IR



Head protection

GG-40WS2-AF

SAFETY GLASSES

Ultimately the best fitting Goggle-like spectacle , extra protective eyewear with a very good sealing in dusty environments and air circulation for superior anti-fog performance

Standards - Details

Technical details

Type of eye protection	Glasses
Gasket	Absorbing Foam
Lens Material	Polycarbonate
Lens based curve	8
Glasses Style	Monoblock
Optical class	1
Glasses Characteristics	Curved
Mechanical strength (lens)	F, T
Nose pad material	Polycarbonate
Frame Material	Nylon
Mechanical strength (frame)	F, T
Mechanical strength (2nd frame)	F, T
Temple Benefits	Adjustable width, Flexible tip
Temples confort	Flexible tip
Optional Accessories	Cord



Head protection

GG-40WS2-AF

SAFETY GLASSES

Ultimately the best fitting Goggle-like spectacle , extra protective eyewear with a very good sealing in dusty environments and air circulation for superior anti-fog performance

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WELGG40WS2AF	Green	-	GG-40WS2-AF	729294774151	0	144	1	8.0 kg	29.0 cm	65.0 cm	34.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height